



KBIO1411

LEGEND

- | | |
|------------------------|-------------------------|
| 1 Cold Air Return | 6 Cord Storage |
| 2 Control Pad | 7 Condensate Nipple |
| 3 Cold Air Supply | 8 Condensate Alarm Jack |
| 4 Condenser Air Inlet | 9 Access Door |
| 5 Condenser Air Outlet | 10 Vent Control |



ETL LISTED CONFORMS TO ANSI/UL1995
CERTIFIED TO CAN/CSA 22.2 NO 235

1-800-KWIKOOOL
www.kwikool.com



COOLING CAPACITY		
	BTU/hr @95 F at 60%RH	13,800 / 1-Ton
AIR PURIFICATION		
	ULPA/HEPA Filter	99.999% @ > .12 Microns
	UVC Light Wave Length	UVC 17 Watts / Max 85 Watts
COMPRESSOR DATA		
	Compressor Type	Hermetic Rotary
	Operating Temperatures	65-105F 50% RH
	Non-CFC Refrigerant	410A
FAN DATA EVAPORATOR		
	Fan Type (Centrifugal)	Direct Drive
	Air Flow (CFM)	450 / Single Speed
	Supply Air Data	Adjustable Vent
	Supply Air Chute Data (Optional)	2 - 5" dia x 16" length
FAN DATA CONDENSER		
	I/O Integral Condenser - In/Out	Balanced Air Flow
	Fan Type (Centrifugal)	Direct Drive
	Air Flow (CFM)	700
	Condenser Duct Data (Optional)	2 - 12" dia x 8" length
	Condenser Maximum Duct Length	25'
ELECTRICAL DATA		
	Power Supply (Volts)	115 V / Single Phase
	Current Consumption (Amps)	11.5
	Power Consumption (kW)	1.3
	Maximum Circuit Breaker (Amps)	15
	Recommended Breaker Size	15
	Minimum Circuit Ampacity (Amps)	17.09
	Min/Max Voltage	105 - 125
	Power Cord Gauge / Length in Feet	14 AWG / 6'
	Plug Configuration	NEMA 5 - 15
DIMENSIONAL DATA		
	Width x Length x Height (inches)	16.325" x 43.25" x 37.75"
	Weight (lbs)	230
	Shipping Weight (lbs)	280
	Ceiling Kit CK-12 Weight (lbs)	38
	Shipping Weight with Ceiling Kit (lbs)	318
SAFETY DEVICE DATA		
	Compressor Overload	Internal
	Fan Motor Overload	Automatic Internal
	Evaporator Freeze-up	Hot Gas Bypass
	High Pressure Switch	Manual
	Low Pressure Switch	Auto
	Compressor Short Cycle	Yes
	Automatic Restart	Yes
	Condensate Pump Overflow	Yes
	Condensate Tank Overflow	Yes

1-800-kwikool

